




The most cutting-edge technology of simulated digestion for monogastric animals

Developed by IASCAAS + Zhongben

Simulated Digestion System (SDS III)



Global Marketing Partner (Overseas)

UniVOOK Chemical (Shanghai)

26B, No.333 Wensong Rd Shanghai, P.R. China www.univook.com Tel: +86 021 6536 5235 Email: info@univook.com EHS: ehs@univook.com



How to evaluate the nutritive value of feed ingredients accurately, efficiently and repeatably?

How to evaluate the enzymolysis efficacy of different single enzymes on various feed materials?

How to evaluate the compound enzyme preparations from the markets efficiently and screen the most suitable compositions of enzyme products?

Animal experimentation need a long cycle and high cost, and the experimental data are susceptible to many uncertain factors such as climatic conditions, animal body conditions, and feeding conditions. How to solve these problems?

100+ Agricultural and Animal Husbandry Enterprises

Simulated Digestion System (SDS III) provides reliable solutions

Simulated digestion system (SDS III) for monogastric animals has been jointly developed by Institute of Animal Science, Chinese Academy of Agricultural Sciences (IASCAAS) and Hunan Zhongben Intelligent Technology Development Co., LTD. It is a patented technical solution to simulate the digestive process of monogastric animals, based on bionic principles. SDS III includes a device that can simulate the digestion and absorption process of feed in the digestive tract, and the matching kit of simulated digestive fluid. SDS III uses feed as a substrate to simulate the digestion and absorption process of in vivo gastro-intestinal tract with high fidelity and repetition. Compared with the in vivo methods, SDS III can accurately and efficiently determine the effective energy, digestibility of amino acid and phosphorus in feed, offering 66 times higher efficiency and reducing costs by 90%, and realize the standardization, instrumentalization and automation of the simulated digestion method.

150+ Serves Million Tons

of Feed

Production





Serves Feed Industry Globally





国家粮食和物资储备局科学研究院
























































Automatic Simulated Digestion System (SDS III)

- PC-based Automatic Control
- Dual-modules Compatibility: Vertical and Horizontal

Horizontal Digestion Module



- Automatically executes the digestion steps of stomach, small intestine and large intestine; Automatically adds simulated digestive fluid and automatically cleans the digested byproducts.
- Overcomes the residual problem of feed, eliminating the need for sample migration.
- Highly simulates the digestive condition of in vivo;
- High simulation precision: repeated tests CV < 1.5%;</p>
- Measure the biological utilization of nutrients by simulating the digestion and absorption process of nutrients in the gastrointestine tract of animals

Vertical Digestion Module

- With an independent motor, the mixing speed is adjustable; Automatically executes the digestion steps of stomach, small intestine and large intestine; Automatically adds simulated digestive fluid
- Double glass structure reaction tube, circulating water constant temperature, comparable digestive condition to those of in vivo;
- ♣ High simulation precision: repeated tests CV < 1.5%;</p>
- Suitable for in vitro digestion evaluation of feed enzymes;



• Simulated Digestive Kits for Swine and Poultry

- Patented technology for producing target animal-derived digestive enzymes;
- 1:1 simulation of in vivo digestive enzyme activity;
- Breed specialization;



Outstanding Application

Explore the Application of SDS III

Effective Energy Evaluation;

The evaluation of nutritive values of feed ingredients is the critical scientific decision basis for feed ingredient price assessment and feed formula optimization. The SDS III system can efficiently identify the nutritive values of feed ingredients, complete diets, and screen enzyme combinations suitable for different feed ingredients, thereby improving feed utilization and reducing cost.

- Amino Acid Digestibility Evaluation;
- Efficacy Evaluation of Feed Enzyme;
- Enzymology Properties Research of Feed Enzyme;
- Efficiently Screen Feed Enzyme Formulations;
- Products Research/Development/Efficacy Evaluation for Improving the Digestion of Nutrients in Feed;
- Research on Digestion Dynamics of Nutrients in Feed;




Technical Standards


- 1. Gastro-intestinal simulation device is based on the in vivo digestive system.
 - Using computer program control, the enzyme activity, pH and hydrolysis environment in digestive fluid; are simulated to match the physiological conditions of the stomach, small intestine and large intestine;
 - Simulates enzymatic digestion processes of the stomach, small intestine and large intestine;
 - Simulates the secretion of digestive fluid in the body;
 - Simulates the ambient temperature and chyme mixing processes in the digestive tract.
- 2. Ability to perform simulating digestion based on the analysis of digestive substances.
 - Simulates the mixing of chyme in the digestive tract through shaking and stirring; The stirring speed can be precisely controlled;
 - After the entire digestion process, the liquid evaporation volume of the reaction system is maintained at less than 1.0% (vertical digestion module);
 - A computer program-controlled system regulates digestive fluid secretion, maintains constant temperature, and controls digestive process.
- 3. Able to perform simulating digestion and absorption based on analysis of undigested substances.
 - Simulates the digestion and absorption of nutrients in the gastro-intestinal tract;
 - Overcomes the issue of filtration in traditional methods, eliminating the need for sample transfer after loading;
 - Automatically performs various stages of digestion in the stomach, small intestine and large intestine;
 - Automatically cleans products and reduces system errors caused by manual operations;
 - A Computer program-controlled system regulates digestive fluid secretion, cleans hydrolysates, maintains constant temperature, and controls the digestion process.
- 4. The coefficient of variation (CV) for the determination of 5 repeated samples does not exceed 1.5%.
- 5. Using a constant temperature water bath and a constant temperature air bath to simulate the environmental temperature of the digestive organs. The temperature variation can be precisely controlled within 0.4°C, ranging from 30 to 45°C.
- 6. The shaking frequency can be controlled within the range of 100 to 200 rpm, with an accuracy of ±5 rpm.
- 7. The flow rate of buffer solution and water for product cleaning can be controlled within 100 to 500 mL/min, with an accuracy of ± 20 mL/min.
- 8. The flow rate of digestive fluid can be controlled within 0.5 to 10 mL/min, with an accuracy of ± 0.1 mL/min.
- 9. The loading capacity of the simulated digester: vertical digestion module ≥0.5g; horizontal digestion module ≥1.0g. Each digestion experiment can analyze 2 samples simultaneously, with each sample providing 5 repeated test data.
- 10. Features automatic cleaning of the digested products.

Application Cases


Establishment of Dynamic Database for Feed Ingredients



• Quality Monitoring of Feed Ingredients



Nutritional Quality Monitoring of Complete Diet



Efficacy Evaluation of Feed Enzymes



Together With SDS III

Explore Your Future Successes



Jointly Developed By:



Institute of Animal Sciences, Chinese Academy of Agricultural Sciences 中国农业科学院北京畜牧兽医研究所

Address: No. 2 Yuanmingyuan West Rd, Beijing, 100193, P. R. China 地址:中国. 北京市海淀区團明國西路2号



Hunan Zhongben Intelligent Technology Development Co., LTD. 湖南中本智能科技发展有限公司

Address: Building A1, No.27 Wenxuan Rd, Changsha, Hunan Province, P. R. China 地址:中国. 湖南省长沙市文轩路27号麓谷企业广场A1栋

Global Marketing Partner (Overseas):

UniVOOK Chemical (Shanghai)

26B, No.333 Wensong Rd Shanghai, P.R. China www.univook.com Tel: +86 021 6536 5235 Email: info@univook.com EHS: ehs@univook.com

